

Pull-In Analysis of Non-Uniform Microcantilever Beams under Large Deflection

Sajal Sagar Singh,¹ Prem Pal,² and Ashok Kumar Pandey^{1, a)}

¹⁾Department of Mechanical and Aerospace Engineering, IIT Hyderabad, India

²⁾Department of Physics, IIT Hyderabad, India

(Dated: 22 December 2015)

Cantilever beams under the influence of electrostatic force form an important subclass of microelectromechanical (MEMS) and nanoelectromechanical (NEMS) systems. Most of the studies concerning these micro-nano resonators are centered around uniform cantilever beams. In this paper, we have investigated another class of micro-resonators consisting of non-uniform cantilever beams. The study is focused around investigating pull-in voltage and resonance frequency of non-uniform cantilever beams when they operate in the linear regime about different static equilibriums. In this paper, we term this frequency as ‘linear frequency’. Calculation of the linear frequency is done at different static equilibriums corresponding to different DC voltages. We have studied two classes of beams, one with increasing cross sectional area from the clamped edge (diverging beam) and other with decreasing cross sectional area from the clamped edge (converging beam). Within each class, we have investigated beams with linear as well as quartic variation in width. We start by obtaining Euler beam equation for non-uniform cantilever beams considering large deflection and their corresponding exact mode shapes from the linear equation. Subsequently, using the Galerkin method based on single mode approximation, we obtain static and dynamic modal equations for finding pull-in voltage and resonance frequency as a function of DC voltage, respectively. We found that linear frequency of converging beams increases with increase in non-uniform parameter (α) while those of diverging beams decreases with α . A similar trend is observed for pull-in voltage. Within the converging class, beams with quartic variation in width show significant increase in both frequency and pull-in voltage as compared to corresponding linearly tapered beams. In quantitative terms, converging beams with quartic variation in width and $\alpha = -0.6$ showed an increase in linear frequency by a factor of 2.5 times, and pull-in voltage by 2 times as compared to commonly used uniform beams. Our investigation can prove to be a step forward in designing highly sensitive MEMS sensors and actuators.

Keywords: Frequency, Non-uniform cantilever, Pull-in analysis

I. INTRODUCTION

Electrostatically actuated MEMS cantilever beams form an excellent class of resonator for various devices. Most of these resonant MEMS/NEMS devices such as mass sensor, temperature sensor, pressure sensor, etc.,¹⁻³ operate at resonance frequency of the structure. In order to improve performance of MEMS devices, tuning of the resonance frequency has caught attention of researchers in the past⁴⁻⁷. Attempts have been made to tune frequency of cantilever beams by reducing the dimensions to nano scale⁸, using nonlinear effect to soften or harden the system^{5-7,9}. Therefore, it is vital to compute an accurate resonance frequency of such resonators during their design phase. Apart from computing resonance frequency, knowledge of pull-in voltage is also important to achieve stable operating range⁵. A system of cantilever beam separated from the bottom electrode by a gap d_0 forms a parallel plate capacitance system as shown in Fig. 1(a). On application of voltage, the electrostatic force tends to attract cantilever towards fixed electrode,

however, the spring force (stiffness) of cantilever resists this force. With further increase in voltage, electrostatic force dominates and the beam is pulled towards fixed electrode. This voltage at which restoring force could no longer balance attractive electrostatic force is known as pull-in voltage. Thus, determination of pull-in voltage is extremely important before designing and operating the device.

Researchers in the past have modeled resonators and obtained pull-in parameters by accounting various effects¹⁰⁻¹⁶. However, these models are limited to uniform cantilever beams. At the same time a few studies performed computation of frequencies of non uniform cantilever beams as well¹⁸⁻²⁰. Mabie *et al*¹⁸ and Lau¹⁹ obtained linear frequency of double tapered beam with tip mass by expressing the mode shape in terms of Bessel functions. In yet another study, Mabie and Roger²⁰ analyzed beam with constant width and linearly tapered thickness using same methodology. At the same time, special cases of tapering were also studied by William *et al*²¹ on axially loaded beams, Auciello *et al*²² by obtaining solution in terms of Bessel Function, and Wang²³ with the help of hypergeometric functions. For MEMS and NEMS applications, tapering in width (rather than thickness) is of interest as it is pertinent to microfabrication techniques where arbitrary planar geometry (with constant thickness) can be fabricated with existing meth-

^{a)}Electronic mail: ashok@iith.ac.in

This is the authors’ copy of the accepted manuscript. The copyright belongs to AIP Journal of Applied Physics.

ods. In this regard, Mabie *et al*²⁰ and Wang²⁴ numerically integrated the differential equation corresponding to beam with varying width alone and obtained the frequency for various taper parameters. Abrate²⁵ proposed a method to transform the linear governing equation for special type of nonuniform width to that of a uniform beam by introducing a function. In this paper, we focus on non-uniform cantilever beam and investigate the effect of non-uniformity on frequency as well as pull-in voltage of non-uniform cantilever based resonators. In present study, we have used the transformation proposed by Abrate to find mode shape based on linear equation, however, we use this mode shape to study influence of nonlinear curvature effect due to large DC voltage on linear frequency of non-uniform cantilever beam using Galerkin approach.

To compute pull-in voltage in MEMS, several authors have worked towards obtaining its closed form expression. Nathanson *et al*¹⁰ obtained simplest form of pull-in voltage expression by modeling the cantilever beam as a lumped spring-mass system considering uniform gap. To include the effect of non-uniform gap between beams due to deflection with respect to fixed electrode, Pamidighantam *et al*¹¹ included the effects of partial electrodes, axial stress, non-linear stiffening, charge-redistribution, fringing fields etc., to obtain closed form expression for pull-in voltage. Osterberg *et al*¹² proposed another closed form expression for pull-in voltage including the corrections based on finite element simulations. Chowdhury *et al*²⁶ obtained a closed form model for calculating the pull in voltage based on capacitance formula given by Meiji and Fokkema²⁷. Later, Kalaiarasi *et al*²⁸ found that the model obtained by Chowdhury *et al*²⁶ is limited to a range of selective dimensions. Consequently, they proposed closed form models based on different capacitance models available in literature to calculate pull-in voltage. After validating the models with Finite Element Analysis (FEA) based software, they concluded that different capacitance models have to be used for different ranges of beam dimensions. Later Tilman *et al*¹³ used minimum energy principle to discuss pull in instability of clamped-clamped beam. To include the effect of large deformation, Chaterjee *et al*²⁹ numerically studied variation of pull-in instability for uniform cantilever beam considering the effect of large deflection. Li *et al*³⁰ performed pull-in analysis in the linear, nonlinear and mixed regime of MEMS fixed-fixed as well as cantilever beams. Based on their analysis, they concluded that different theories should be used for beams with different configurations and dimensions. A similar study was performed by Rasekh *et al*³¹ to do pull-in analysis of carbon nanotube based cantilever beams. Rahaeifard *et al*³² used modified coupled stress theory to capture the size effect on pull-in voltage of a nanoscaled beam. Subsequently, Baghani³³ included nonlinear geometric effects along with size effect to obtain the pull in voltage. However, most of the above studies were limited to uniform beams. To capture fringing effect due to non-uniform shape of the fixed electrode,

Cheng *et al*³⁴ studied pull-in parameters of rectangular cantilever torsion actuator due to electrostatic actuation with respect to elliptical, hyperbolic and parabolic electrodes. Similarly, Lemaire *et al*³⁵, Raulli *et al*³⁶ and Abdalla *et al*³⁷ worked towards optimizing geometry and studied its effect on pull-in parameters. Najjar *et al*^{38,39} employed differential quadrature method to study pull-in parameters of beam with varying thickness, width and distance from the fixed bottom electrode. Another study by Joglekar and Pawaskar⁴⁰ focused on the dynamic and static pull-in analysis of linearly tapered cantilever beams using numerical technique. Almost all studies concerning non-uniform beams (fixed-fixed and cantilever) have resorted to using numerical techniques or other transformation methods to find the pull-in voltage. In this paper, we present pull-in voltage and frequency analysis of non-uniform cantilever beams with varying widths and nonlinear curvature effect by using Galerkin method based on the exact mode shape of linear non-uniform cantilever beam.

To do the analysis, we first derived governing equation of motion of electrostatically excited non-uniform cantilever beam considering large deflection effect using Hamilton's Principle based on approach described by Chaterjee and Pohit²⁹ for a uniform beam. Subsequently, we obtained mode shapes from linear governing equation for non-uniform cantilever beams with linear and quartic varying widths. To obtain the corresponding frequency and mode shape, we transformed linear equation for a non-uniform beam into the equations of equivalent uniform beam using method as described by Abrate²⁵. However, such transformations exist for quartic tapered beam without any approximation and linearly tapered beam with some approximation. Using the appropriate boundary conditions, we finally obtained the corresponding frequency equations and mode shapes of non-uniform beams with linear and quartic variation in width. Using mode shape of linear equation, we applied Galerkin method based on single mode approximation to obtain nonlinear static and dynamic modal equations. Subsequently, we obtained the pull-in voltage as well as frequency of non-uniform beam with different types of tapering. After validating the model with available results, we discuss the effects of tapering on pull-in voltage as well as linear frequency of non-uniform beams.

II. EQUATION OF MOTION

In this section, we derive governing equation of transverse motion $w(x, t)$ along z direction considering large deflection for nonuniform cantilever beam under the influence of electrostatic force Q_s as shown in Fig. 1. To derive the equation, we consider a cantilever beam of length L , width $b(x)$, thickness h , area moment of inertia $I(x)$, density ρ and effective modulus $E = \frac{E'}{(1-\nu^2)}$, where E' is the Young's modulus and ν is the Poisson's ratio. If $u(x, t)$ is an axial extension under large deflection, then




FIG. 1. (a) Transverse vibration of a cantilever beam subjected to electrostatic excitation. (b) Variation of width of a non-uniform cantilever beam with tapering parameter α as $b(x) = b_0(1 + \alpha x)^n$, where, $n = 1$ and 4 imply beam with linear and quartic taper in width, respectively. Here, $\alpha < 0$ corresponds to converging beam, $\alpha > 0$ corresponds to diverging beams and $\alpha = 0$ implies uniform beam. Given figure depicts a quartic converging beam with $\alpha < 0$ and $n=4$.

the axial strain ζ_{xx} at neutral axis can be written as⁴¹

$$\zeta_{xx} = \sqrt{\left(1 + \frac{\partial u(x,t)}{\partial x}\right)^2 + \left(\frac{\partial w(x,t)}{\partial x}\right)^2} - 1 \quad (1)$$

and the curvature k as⁴²

$$k = \left(1 + \frac{\partial u}{\partial x}\right) \frac{\partial^2 w}{\partial x^2} - \frac{\partial^2 u}{\partial x^2} \frac{\partial w}{\partial x}. \quad (2)$$

Writing the kinetic energy KE and bending strain energy U_s as

$$KE = \frac{1}{2} \int_0^L \rho A(x) \{\dot{u}^2 + \dot{w}^2\} dx$$

$$U_s = \frac{1}{2} \int_0^L EI(x) k^2 dx.$$

and then using the virtual work done by external force such that $\delta Q = Q_s$, we apply Hamilton's principle

$$\int_{t_1}^{t_2} (\delta KE - \delta U_s - \delta Q) dt = 0, \quad (3)$$

to obtain the governing equation. After substituting the energy expression and using an approximate expression of $u' = -w'^2/2$ under inextensibility condition, i.e., $\zeta_{xx} = 0$, the governing equation with non-linear terms upto $O(\epsilon^3)$ for undamped forced vibration can be written as

$$\rho A(x) \ddot{w} - EI(x) (w'')^3 + w' \rho A(x) \times \int_0^x (w' \ddot{w}' + (\dot{w}')^2) dx + w' (EI(x) w'' w')'' + (EI(x) w'')'' = Q_s(t) \quad (4)$$

where, $Q_s(t)$ is the electrostatic force considering fringing field effect which is given by⁴⁰

$$Q_s(t) = \frac{1}{2} \frac{\epsilon_0 b(x) (V + v(t))^2}{(d_0 - w)^2} \left(1 + \frac{2(d_0 - w)}{\pi b(x)}\right). \quad (5)$$

where, $\epsilon_0 = 8.854 \times 10^{-12}$ F/m is the permittivity of free space, V is DC voltage and $v(t)$ is AC voltage.

The boundary conditions for non-uniform cantilever beam can be written as

$$w(0) = \frac{\partial w}{\partial x} \Big|_{x=0} = 0, \quad \frac{\partial^2 w}{\partial x^2} \Big|_{x=L} = 0,$$

$$\frac{\partial}{\partial x} \left(EI(x) \frac{\partial^2 w}{\partial x^2} \right) \Big|_{x=L} = 0. \quad (6)$$

A. Non-dimensionalisation

To obtain non-dimensional form of governing equation given by Eqn. (4) and boundary conditions given by Eqn. (6), we define following non-dimensional parameters,

$$x^* = \frac{x}{L}, \quad w^* = \frac{w}{d_0}, \quad t^* = \frac{t}{L^2 \sqrt{\frac{\rho A_0}{EI_0}}}, \quad \gamma = \frac{d_0}{L}$$

$$f_1(x) = \frac{E\tilde{I}(x)}{EI_0}, \quad f_2(x) = \frac{\rho\tilde{A}(x)}{\rho A_0}, \quad (7)$$

where, $EI(x) = EI_0 + E\tilde{I}(x) = (1 + f_1(x))EI_0$ and $\rho A(x) = \rho A_0 + \rho\tilde{A}(x) = (1 + f_2(x))\rho A_0$, I_0 and A_0 are the area moment of inertia and cross-sectional area at the fixed end of cantilever beam, respectively. We substitute nondimensional parameters in Eqns. (4) and (6) rearrange the terms to get the equivalent non-dimensional governing equation as (after dropping the superscript * for convenience)

$$(1 + f_2(x)) \ddot{w} + ((1 + f_1(x)) w'')'' - \gamma^2 (1 + f_1(x)) \times (w'')^3 + \gamma^2 (1 + f_3(x)) w' \int_0^x ((\dot{w}')^2 + w' \ddot{w}') dx + \gamma^2 w' \times ((1 + f_1(x)) w'' w')'' - \frac{1}{2} \frac{\epsilon_0 b(x) (V + v(t))^2 L}{\gamma^3 EI_0 (1 - w)^2} - \frac{\epsilon_0 (V + v(t))^2 L^2}{\pi \gamma^2 EI_0 (1 - w)} = 0 \quad (8)$$

and the boundary condition as

$$w(0) = \frac{\partial w}{\partial x} \Big|_{x=0} = 0, \quad \frac{\partial^2 w}{\partial x^2} \Big|_{x=1} = 0,$$

$$\frac{\partial}{\partial x} (1 + f_1(x)) \frac{\partial^2 w}{\partial x^2} \Big|_{x=1} = 0 \quad (9)$$

In the following section, we obtain exact mode shape from linear undamped equation under free vibration corresponding to uniform as well as non-uniform beams.

B. Derivation of linear mode shape

In this section, we obtain exact mode shape of cantilever beam with uniform as well as linear and quartic tapering in width. To obtain the mode shape, we consider governing equation under linear, undamped and free vibration conditions, thus, neglecting the nonlinear, damping and forcing terms. After substituting the expressions

for f_1 and f_2 in Eqn. (8), the resulting linear equation for non-uniform beam can be written as

$$\frac{\partial^2}{\partial x^2} \left((EI(x)) \frac{\partial^2 w}{\partial x^2} \right) + \frac{EI_0}{\rho A_0} (\rho A(x)) \frac{\partial^2 w}{\partial t^2} = 0. \quad (10)$$

To obtain mode shape, we convert the equation for non-uniform beam into an equivalent governing equation of uniform beam by following the approach as proposed by Abrate²⁶. Taking a function $\sigma(x)$ such that $v(x) = \sigma(x)w(x)$, the equation for uniform beam can be written as

$$\frac{\partial^4(\sigma w)}{\partial x^4} + \frac{\partial^2(\sigma w)}{\partial t^2} = 0. \quad (11)$$

Writing the expanded form of Eqns. (10) and (11) as

$$(I'' w'' + I w'''' + 2I' w''') + \frac{I_0}{A_0} A(x) \ddot{w} = 0 \quad (12)$$

and

$$(\sigma'''' w + 4\sigma''' w' + 6\sigma'' w'' + 4\sigma' w''' + \sigma w'''' + \sigma \ddot{w}) = 0, \quad (13)$$

and then comparing the terms on left hand side of Eqns. (12) and (13), we get following relationship

$$\frac{6\sigma''}{I''} = \frac{4\sigma'}{2I'} = \frac{\sigma}{I} = \frac{A_0\sigma}{I_0 A(x)}. \quad (14)$$

Taking $\sigma(x)$ such that σ'''' and σ'''' are either zero or negligible, and satisfying Eqn. (14), we find σ , $I(x)$ and $A(x)$ corresponding to each type of tapered beam, separately. Consequently, for computed form of σ , $I(x)$ and $A(x)$, Eqn. (10) for non-uniform beam and Eqn. (11) for uniform beam with $v(x) = \sigma w$ become equivalent. Based on equivalent uniform beam, the exact mode shape for Eqn. (11) is readily available as⁴³

$$v(x) = A_1 \sin(\lambda x) + A_2 \cos(\lambda x) + A_3 e^{\lambda x} + A_4 e^{-\lambda x} \quad (15)$$

Using boundary conditions for cantilever beam, the form of mode shape can be rewritten as

$$v(x) = \sigma(x)w(x) = A_1 [\sin(\lambda x) - \sinh(\lambda x) - \frac{\sin(\lambda L) + \sinh(\lambda L)}{\cos(\lambda L) + \cosh(\lambda L)} (\cos(\lambda x) - \cosh(\lambda x))]. \quad (16)$$

Finally, mode shape of non-uniform beam with given tapering can be found from the relation $w(x) = \frac{v(x)}{\sigma(x)}$. In the following section, we apply above concept in computing mode shapes of uniform and non-uniform beams with different types of tapering and mention the frequency equation to obtain corresponding frequency parameter, λ .

1. Uniform beam: For uniform cantilever beam, we get $\sigma(x) = 1$, $A(x) = A_0$, and $I(x) = I_0$. Consequently, for $v(x) = w(x)$, mode shape is given

by Eqn. (16). Using appropriate boundary conditions, value of frequency parameter λ can be numerically obtained by solving the following transcendental equation

$$2\lambda^6(2 + e^\lambda \cos(\lambda) + e^{-\lambda} \cos(\lambda)) = 0. \quad (17)$$

2. Non-uniform beam with linear tapering: For a non-uniform cantilever beam with linearly tapered width, $b(x) = b_0(1 + \alpha x)$, where, $-1 < \alpha < 0$ corresponds to converging type and $\alpha > 0$ corresponds to diverging case. The area moment of inertia and area can be written as $I(x) = I_0(1 + \alpha x)$ and $A(x) = A_0(1 + \alpha x)$, respectively. The corresponding expression of σ can be obtained from Eqn. (14) as $\sigma(x) = \sqrt{(1 + \alpha x)}$, thus, $A(x) = A_0\sigma(x)^2$ and $I(x) = I_0\sigma(x)^2$. Since, the above relationship of σ and α in case of linearly tapered width is obtained by neglecting higher order differential terms σ'''' and σ'''' , the error associated with such assumptions grows rapidly as $|\alpha| > 0.5$. For given boundary condition, frequency parameter λ can be found from the frequency equation

$$\begin{aligned} & \frac{\lambda^2}{8(1 + \alpha)^4} (16 \cos(\lambda) e^\lambda \alpha^4 \lambda^4 + 64 \cos(\lambda) e^{-\lambda} \\ & \times \alpha \lambda^4 + 12 \cos(\lambda) e^{-\lambda} \alpha^4 \lambda + 64 \cos(\lambda) e^\lambda \alpha \lambda^4 \\ & - 12 \cos(\lambda) e^\lambda \alpha^4 \lambda - 48 \sin(\lambda) e^{-\lambda} \alpha^2 \lambda^3 \\ & + 12 \sin(\lambda) e^{-\lambda} \alpha^4 \lambda + 64 \cos(\lambda) e^{-\lambda} \alpha^3 \lambda^4 \\ & + 96 \cos(\lambda) e^\lambda \alpha^2 \lambda^4 + 16 \cos(\lambda) e^{-\lambda} \alpha^4 \lambda^4 + 32 \lambda^4 \\ & - 6\alpha^4 + 192\alpha^2 \lambda^4 + 32\alpha^4 \lambda^4 + 128\alpha^3 \lambda^4 \\ & + 128\alpha \lambda^4 + 64 \cos(\lambda) e^\lambda \alpha^3 \lambda^4 + 48 \cos(\lambda) e^{-\lambda} \alpha^2 \\ & \times \lambda^3 + 16 \cos(\lambda) e^{-\lambda} \alpha^4 \lambda^3 + 48\alpha^3 \lambda^3 e^{-\lambda} \cos(\lambda) \\ & - 48 \cos(\lambda) e^\lambda \alpha^2 \lambda^3 - 16 \cos(\lambda) e^\lambda \alpha^4 \lambda^3 - 48 \\ & \cos(\lambda) e^\lambda \alpha^3 \lambda^3 + 12 e^\lambda \sin(\lambda) \alpha^3 \lambda + 16 e^{-\lambda} \alpha \lambda^3 \\ & \times \cos(\lambda) + 12 e^{-\lambda} \sin(\lambda) \alpha^3 \lambda - 16 e^\lambda \cos(\lambda) \alpha \lambda^3 \\ & + 96 \cos(\lambda) e^{-\lambda} \alpha^2 \lambda^4 - 12 e^\lambda \cos(\lambda) \alpha^3 \lambda - 16 e^\lambda \alpha \lambda^3 \\ & \times \sin(\lambda) + 12 \cos(\lambda) e^{-\lambda} \alpha^3 \lambda - 16 e^{-\lambda} \sin(\lambda) \alpha \lambda^3 \\ & + 16 e^\lambda \lambda^4 \cos(\lambda) + 3 e^\lambda \alpha^4 \cos(\lambda) + e^{-\lambda} 16 \cos(\lambda) \lambda^4 \\ & + 3 e^{-\lambda} \alpha^4 \cos(\lambda) - 48 \sin(\lambda) e^\lambda \alpha^2 \lambda^3 + 12 \sin(\lambda) \\ & \times e^\lambda \alpha^4 \lambda - 48 \sin(\lambda) e^\lambda \alpha^3 \lambda^3 - 48 \sin(\lambda) \lambda^3 e^{-\lambda} \alpha^3 \\ & - 16 e^\lambda \sin(\lambda) \alpha^4 \lambda^3 - 16 \sin(\lambda) e^{-\lambda} \alpha^4 \lambda^3) = 0 \end{aligned} \quad (18)$$

Finally, for given λ and σ , mode shape can be obtained from $w(x) = \frac{v(x)}{\sigma(x)}$, where, $v(x)$ is given by Eqn. (16).

3. Non-uniform beam with quartic tapering: For a non-uniform cantilever beam with quartic variation in width, we take $b(x) = b_0(1 + \alpha x)^4$, where, $-1 < \alpha < 0$ corresponds to converging type and $\alpha > 0$ corresponds to diverging case. Although, there is no restriction over validity of Eqn. (14) in this case, we restrict the value of α to 0.6 for

quartic tapered beam. The area moment of inertia and area can be written as $I(x) = I_0(1 + \alpha x)^4$ and $A(x) = A_0(1 + \alpha x)^4$, respectively. Corresponding expression of σ can be obtained from Eqn. (14) as $\sigma(x) = (1 + \alpha x)^2$, thus, $A(x) = A_0\sigma(x)^2$ and $I(x) = I_0\sigma(x)^2$. Frequency parameter λ can be found from the frequency equation

$$\begin{aligned} & \frac{2\lambda^2}{(1 + \alpha)^4} \left(-12 \sin(\lambda)e^{-\lambda}\alpha^4\lambda - 4e^\lambda \cos(\lambda) \right. \\ & \times \alpha\lambda^3 - 12e^\lambda \sin(\lambda)\alpha^3\lambda + 4e^{-\lambda} \cos(\lambda)\alpha\lambda^3 \\ & + 24e^\lambda \sin(\lambda)\alpha^3\lambda^2 - 12e^\lambda \sin(\lambda)\alpha^2\lambda^3 - 24 \\ & \times e^{-\lambda} \sin(\lambda)\alpha^3\lambda^2 - 12e^{-\lambda} \sin(\lambda)\alpha^2\lambda^3 + 12e^\lambda \\ & \times \cos(\lambda)\alpha^4\lambda - 12e^\lambda \cos(\lambda)\alpha^2\lambda^3 + 4e^\lambda \cos(\lambda) \\ & \times \alpha\lambda^4 - 12e^{-\lambda} \cos(\lambda)\alpha^4\lambda + 12e^{-\lambda} \cos(\lambda) \\ & \times \alpha^2\lambda^3 + 4e^{-\lambda} \cos(\lambda)\alpha\lambda^4 + e^\lambda \cos(\lambda)\alpha^4\lambda^4 \\ & + e^{-\lambda} \cos(\lambda)\alpha^4\lambda^4 - 4e^\lambda \sin(\lambda)\alpha^4\lambda^3 - 4e^{-\lambda}\alpha^4 \\ & \times \sin(\lambda)\lambda^3 - 4e^\lambda \cos(\lambda)\alpha^4\lambda^3 + 4e^\lambda \cos(\lambda)\alpha^3\lambda^4 \\ & + 4e^{-\lambda} \cos(\lambda)\alpha^4\lambda^3 + 4e^{-\lambda} \cos(\lambda)\alpha^3\lambda^4 + 12e^\lambda \\ & \times \sin(\lambda)\alpha^4\lambda^2 - 12e^\lambda \sin(\lambda)\alpha^3\lambda^3 - 12e^{-\lambda} \sin(\lambda) \\ & \times \alpha^4\lambda^2 - 12e^{-\lambda} \sin(\lambda)\alpha^3\lambda^3 - 12e^\lambda \cos(\lambda) \\ & \times \alpha^3\lambda^3 + 6e^\lambda \cos(\lambda)\alpha^2\lambda^4 + 12e^{-\lambda} \cos(\lambda) \\ & \times \alpha^3\lambda^3 + 6e^{-\lambda} \cos(\lambda)\alpha^2\lambda^4 - 12e^\lambda \sin(\lambda)\alpha^4\lambda \\ & + 12e^\lambda \cos(\lambda)\alpha^3\lambda + 12e^\lambda \sin(\lambda)\alpha^2\lambda^2 - 4e^\lambda \\ & \times \sin(\lambda)\alpha\lambda^3 - 12e^{-\lambda} \cos(\lambda)\alpha^3\lambda - 12e^{-\lambda} \\ & \times \sin(\lambda)\alpha^2\lambda^2 - 4e^{-\lambda} \sin(\lambda)\alpha\lambda^3 + 24\alpha^4 - 12\alpha^3 \\ & \times e^{-\lambda} \sin(\lambda)\lambda - 12e^{-\lambda} \cos(\lambda)\alpha^4 + e^\lambda \cos(\lambda)\lambda^4 \\ & + e^{-\lambda} \cos(\lambda)\lambda^4 - 12e^\lambda \cos(\lambda)\alpha^4 + 8\alpha\lambda^4 \\ & \left. + 2\alpha^4\lambda^4 + 8\alpha^3\lambda^4 + 12\alpha^2\lambda^4 + 2\lambda^4 \right) = 0 \quad (19) \end{aligned}$$

Like linearly tapered beam, for given λ and σ , the mode shape can be obtained from $w(x) = \frac{v(x)}{\sigma(x)}$, where, $v(x)$ is given by Eqn. (16).

C. Static and Dynamic Equations

To determine pull-in voltage and frequency at different DC voltages, we first obtain static and dynamic deflection equations for non-uniform cantilever beams with different tapers. Since the net transverse deflection, $w(x, t)$, is composed of a static deflection $z_s(x)$ due to application of DC bias and dynamic deflection $z(x, t)$ due to AC voltage, $w(x, t)$ becomes

$$w(x, t) = z_s(x) + z(x, t). \quad (20)$$

Substituting the assumed deflection in nondimensional governing equation as given by Eqn. (8) and setting the time-varying dynamic terms as zero, we obtain equation

governing static deflection as

$$\begin{aligned} & f_1'' z_s'' + 2f_1' z_s''' + (1 + f_1) z_s'''' - \gamma^2 (1 + f_1) (z_s'')^3 \\ & + \gamma^2 z_s' \left(f_1'' z_s'' z_s' + 2f_1' z_s''' z_s' + 2f_1' (z_s'')^2 \right) \\ & + (1 + f_1) z_s'''' z_s' + 3(1 + f_1) z_s''' z_s'' \\ & - \frac{1}{2} \frac{\epsilon_0 b(x) V^2 L}{\gamma^3 E I_0 (1 - z_s)^2} - \frac{\epsilon_0 V^2 L^2}{\pi \gamma^2 E I_0 (1 - z_s)} = 0. \quad (21) \end{aligned}$$

Similarly, the dynamic equation is obtained by substituting Eqn.(20) in Eqn.(8), where, the static deflection z_s is obtained from Eqn.(21). Expanding the forcing term about $z = 0$ and retaining terms upto first order, we obtain corresponding linear dynamic equation by neglecting the nonlinear terms, dissipation terms and forcing terms as

$$\begin{aligned} & (1 + f_2) \ddot{z} + (1 + f_1) z'''' + (4z_s' z_s'' f_1' \gamma^2 \\ & + 3\gamma^2 z_s' f_1 z_s'''' + 2\gamma^2 z_s' f_1'' z_s' + 3\gamma^2 z_s' f_1 z_s'''' \\ & + 3\gamma^2 z_s' z_s'''' + 3\gamma^2 z_s' z_s'''' z_s'' + ((-3\gamma^2 f_1 \\ & - 3\gamma^2) (z_s'')^2 + \gamma^2 (z_s')^2 f_1'' + 3\gamma^2 z_s' f_1 z_s'''' \\ & + 3\gamma^2 z_s' z_s'''' + f_1'') z_s'' + (2\gamma^2 z_s' f_1 z_s'''' \\ & + 4\gamma^2 z_s' f_1 z_s'''' + 2\gamma^2 f_1' (z_s'')^2 + 2\gamma^2 z_s' z_s'''' z_s' \\ & + (\gamma^2 f_1 z_s'''' + 2\gamma^2 f_1' z_s'''' + \gamma^2 z_s'''')) (z_s')^2 \\ & + \left(\gamma^2 \int_0^x (z_s'' z_s' f_2 + z_s'' z_s') dx \right) z_s' + 2f_1' z_s'''' \\ & - \frac{\epsilon_0 V^2 L}{\gamma^2 E I_0} \left(\frac{b(x)}{\gamma(1 - z_s)^3} + \frac{L}{\pi(1 - z_s)^2} \right) z = 0 \quad (22) \end{aligned}$$

III. REDUCED ORDER MODEL

In order to find reduced order equations, we approximate static and dynamic deflections based on first transverse mode as $z(x, t) = P(t)\phi(x)$ and $z_s = A\phi(x)$, respectively, where, $\phi(x)$ is mode shape of non-uniform cantilever beam with different tapering as obtained in Section III. However, it is to be noted that for the first flexural mode, static deflection due to applied DC is not very different from mode shape. As a result, static deflection is assumed in terms of the mode shape. However, this approximation is valid only for the first resonance mode. At higher modes, shape of static deflection will no longer be equal to dynamic deflection, i.e., the mode shape. Here, we carried out further analysis only for first resonance mode. Subsequently, we apply Galerkin method to reduce static and dynamic equations given by Eqns. (21) and (22), respectively, to reduced order form. The reduced form of static equation governing amplitude

of static deflection A is given by

$$\begin{aligned} & \left(\int_0^1 (f_1'' \phi(x)'' \phi(x) + 2f_1' \phi(x)''' \phi(x) + (1 + f_1) \phi(x) \phi(x)'''') dx \right) A + \left(\int_0^1 (-\gamma^2(1 + f_1) \right. \\ & \quad \times (\phi(x)'')^3 \phi(x) + \gamma^2(\phi(x)')^2 f_1'' \phi(x)'' \phi(x) + \gamma^2 \phi(x)' 2f_1' \phi(x)''' \phi(x)' \phi(x) + 2\gamma^2 f_1' (\phi(x)'')^2 \\ & \quad \times \phi(x) \phi(x)' + (1 + f_1) \gamma^2 (\phi(x)')^2 \phi(x)'''' \phi(x) + 3(1 + f_1) \gamma^2 \phi(x)' \phi(x) \phi(x)'''' \phi(x)'') dx \Big) A^3 - \\ & \quad \frac{1}{2} \frac{\epsilon_0 V^2 L}{\gamma^3 EI_0} \int_0^1 \left(\frac{b(x) \phi(x)}{(1 - A \phi(x))^2} \right) dx - \frac{\epsilon_0 V^2 L^2}{\pi \gamma^2 EI_0} \\ & \quad \times \int_0^1 \left(\frac{\phi(x)}{(1 - A \phi(x))} \right) dx = 0 \quad (23) \end{aligned}$$

and the dynamic equation becomes

$$\begin{aligned} & \left[\int_0^1 (1 + f_2) (\phi(x))^2 dx \right] \ddot{P} + \left[\int_0^1 \left[(1 + f_1) \right. \right. \\ & \quad \times \phi(x)'''' + \left((4\phi(x)' \phi(x)'' f_1' \gamma^2 + 3\gamma^2 \phi(x)' \right. \\ & \quad \times f_1 \phi(x)'''' + 2\gamma^2 \phi(x)' f_1'' \phi(x)' + 3\gamma^2 \phi(x)' \\ & \quad \times f_1 \phi(x)'''' + 3\gamma^2 \phi(x)' \phi(x)'''' + 3\gamma^2 \phi(x)' \\ & \quad \times \phi(x)'''') \phi(x)'' + \left((-3\gamma^2 f_1 - 3\gamma^2) (\phi(x)'')^2 \right. \\ & \quad + \gamma^2 (\phi(x)')^2 f_1'' + 3\gamma^2 \phi(x)' f_1 \phi(x)'''' + 3\gamma^2 \phi(x)' \\ & \quad \times \phi(x)'''' + f_1'') \phi(x)'' + \left(\gamma^2 \int_0^x \phi(x)'''' \phi(x)' f_2 \right. \\ & \quad + \phi(x)'''' \phi(x)' dx \Big) \phi(x)' + \left((2\gamma^2 \phi(x)' f_1 \phi(x)'''' \right. \\ & \quad + 4\gamma^2 \phi(x)' f_1' \phi(x)'''' + 2\gamma^2 f_1' (\phi(x)'')^2 + 2\gamma^2 \\ & \quad \times \phi(x)' \phi(x)'''') \phi(x)' + \left(\gamma^2 f_1 \phi(x)'''' + 2\gamma^2 f_1' \right. \\ & \quad \times \phi(x)'''' + \gamma^2 \phi(x)'''') (\phi(x)')^2 \Big) \Big] A^2 + 2f_1' \phi(x)'''' \\ & \quad - \frac{\epsilon_0 V^2 L}{\gamma^2 EI_0} \left(\frac{b(x) \phi(x)}{\gamma(1 - A \phi(x))^3} \right. \\ & \quad \left. + \frac{L}{\pi} \frac{\phi(x)}{(1 - A \phi(x))^2} \right) \phi(x) dx \Big] P = 0. \quad (24) \end{aligned}$$

In subsequent sections, we obtain pull-in voltage and frequency variation of first transverse mode of non-uniform beams.

A. Pull-in Voltage

Pull-in voltage is the DC voltage at which electrostatic force becomes equal to elastic force. Consequently, static

deflection of beam approaches to infinite when the voltage increases beyond pull-in voltage, i.e., $\frac{dA}{dV}|_{V=V_{PI}} \rightarrow \infty$ or $\frac{dV}{dA}|_{V=V_{PI}} = 0$. Therefore, in order to obtain pull-in voltage, we differentiate the reduced form of static equation given by Eqn.(23) with respect to A to get

$$\begin{aligned} & \left(\int_0^1 (f_1'' \phi(x)'' \phi(x) + 2f_1' \phi(x)''' \phi(x) + (1 + f_1) \right. \\ & \quad \times \phi(x) \phi(x)'''' dx \Big) + 3 \left(\int_0^1 (-\gamma^2(1 + f_1) \phi(x) \right. \\ & \quad \times (\phi(x)'')^3 + \gamma^2 (\phi(x)')^2 f_1'' \phi(x)'' \phi(x) + \gamma^2 \\ & \quad \times \phi(x)' 2f_1' \phi(x)''' \phi(x)' \phi(x) + 2\gamma^2 \phi(x)' f_1' \\ & \quad \times (\phi(x)'')^2 \phi(x) + (1 + f_1) \gamma^2 (\phi(x)')^2 \phi(x) \\ & \quad \times \phi(x)'''' + 3(1 + f_1) \gamma^2 \phi(x) \phi(x)' \phi(x)'' \phi(x)'''') \\ & \quad \times dx \Big) A^2 - \frac{\epsilon_0 L}{\gamma^2 EI_0} \left[\frac{V}{\gamma} \frac{dV}{dA} \int_0^1 \left(\frac{b(x) \phi(x)}{(1 - A \phi(x))^2} \right) dx \right. \\ & \quad \left. + \frac{V^2}{\gamma} \int_0^1 \left(\frac{b(x) \phi(x)^2}{(1 - A \phi(x))^3} \right) dx \right. \\ & \quad \left. + \frac{2LV}{\pi} \frac{dV}{dA} \int_0^1 \left(\frac{\phi(x)}{(1 - A \phi(x))} \right) dx + \frac{LV^2}{\pi} \right. \\ & \quad \left. \times \int_0^1 \left(\frac{\phi(x)^2}{(1 - A \phi(x))^2} \right) dx \right] = 0. \quad (25) \end{aligned}$$

After substituting $\frac{dV}{dA}|_{V=V_{PI}} = 0$ for the condition at pull-in, we obtain the following expression of pull-in voltage

$$V_{PI} = \left[\frac{\gamma^2 EI_0 S}{\epsilon_0 L E} \right]^{\frac{1}{2}}, \quad (26)$$

where,

$$E = \left[\frac{1}{\gamma} \int_0^1 \left(\frac{b(x) \phi(x)^2}{(1 - A_{PI} \phi(x))^3} \right) dx + \frac{L}{\pi} \int_0^1 \left(\frac{\phi(x)^2}{(1 - A_{PI} \phi(x))^2} \right) dx \right]$$

and

$$\begin{aligned} S = & \int_0^1 \left[f_1'' \phi(x)'' \phi(x) + 2f_1' \phi(x)''' \phi(x) \right. \\ & \quad \left. + (1 + f_1) \phi(x) \phi(x)'''' \right] dx + 3A_{PI}^2 \\ & \times \int_0^1 \left[-\gamma^2(1 + f_1) (\phi(x)'')^3 \phi(x) + \gamma^2 \right. \\ & \quad (\phi(x)')^2 f_1'' \phi(x)'' \phi(x) + \gamma^2 \phi(x)' 2f_1' \phi(x)'''' \\ & \quad \times \phi(x)' \phi(x) + 2\gamma^2 \phi(x)' f_1' (\phi(x)'')^2 \phi(x) + \\ & \quad \left. (1 + f_1) \gamma^2 (\phi(x)')^2 \phi(x)'''' \phi(x) + 3(1 + f_1) \times \right. \\ & \quad \left. \gamma^2 \phi(x)' \phi(x) \phi(x)'''' \phi(x)'' \right] dx, \end{aligned}$$

where, A_{PI} is the static deflection at pull-in voltage. Static deflection from Eqn. (23) at pull-in parameters is solved along with Eqn. (26) to obtain the pull-in voltage.

B. Normal Mode Frequency

To find frequency of first transverse mode of the system, we re-write Eqn.(24) of dynamic deflection in following form,

$$M\ddot{P} + KP = 0. \quad (27)$$

Consequently, the frequency ω of oscillating cantilever beam about statically deflected position due to applied DC is given by

$$\omega = \sqrt{\frac{K}{M}}. \quad (28)$$

On comparing Eqns. (24) and (27), we get the expression for M and K in terms of amplitude of static deflection A , DC Voltage V , beam dimensions and properties as

$$M = \int_0^1 (1 + f_2)(\phi(x))^2 dx$$

and

$$\begin{aligned} K = \int_0^1 & \left[(1 + f_1)\phi(x)'''' + \left((4\phi(x)'\phi(x)''f_1'\gamma^2 + \right. \right. \\ & 3\gamma^2\phi(x)'f_1\phi(x)'''' + 2\gamma^2\phi(x)'f_1''\phi(x)' + 3\gamma^2\phi(x)' \\ & \times f_1\phi(x)'''' + 3\gamma^2\phi(x)'\phi(x)'''' + 3\gamma^2\phi(x)'\phi(x)'''' \left. \right) \phi(x)'' \\ & + \left((-3\gamma^2f_1 - 3\gamma^2)(\phi(x)''')^2 + \gamma^2(\phi(x)')^2f_1'' + 3\gamma^2 \right. \\ & \times \phi(x)'f_1\phi(x)'''' + 3\gamma^2\phi(x)'\phi(x)'''' + f_1'' \left. \right) \phi(x)'' \\ & + \left(\gamma^2 \int_0^x \phi(x)'''\phi(x)'f_2 + \phi(x)'''\phi(x)'\right) dx \left. \right) \phi(x)' \\ & + \left((2\gamma^2\phi(x)'f_1\phi(x)'''' + 4\gamma^2\phi(x)'f_1'\phi(x)'''' + 2\gamma^2f_1' \right. \\ & \times (\phi(x)''')^2 + 2\gamma^2\phi(x)'\phi(x)'''' \left. \right) \phi(x)' + (\gamma^2f_1\phi(x)'''' \\ & + 2\gamma^2f_1'\phi(x)'''' + \gamma^2\phi(x)''''')(\phi(x)')^2 \left. \right) A^2 + 2f_1'\phi(x)'''' \\ & - \frac{\epsilon_0 V^2 L}{\gamma^2 E I_0} \left(\frac{b(x)\phi(x)}{\gamma(1 - A\phi(x))^3} + \frac{L}{\pi} \frac{\phi(x)}{(1 - A\phi(x))^2} \right) \left. \right] \phi(x) dx. \end{aligned}$$

Finally, it is important to note that frequency equation considers nonlinear curvature effect which becomes important at large static deflection under large DC voltage. Any nonlinearity in the motion amplitude of AC component, leading to so-called Duffing resonance, is not considered in this paper.

IV. RESULTS AND DISCUSSIONS

In this section, we discuss the effect of non-uniformity parameter, α , on above mentioned phenomenon for the uniform beam as well as beams with linear and quartic taper in width. Again, we mention that $\alpha > 0$ and $-1 <$

$\alpha < 0$ correspond to diverging and converging beams, respectively. The uniform beam corresponds to the case when $\alpha = 0$. In first subsection, we discuss the effect of taper parameter on linear frequency at zero DC voltage, when nonlinear curvature effect is negligible for different beams. Subsequently, we use the linear mode of different tapered beams to obtain pull-in voltage and frequency of non-uniform cantilever beam with nonlinear curvature effects. Finally, we compare results with available values in literature for some cases and then discuss about the importance of tapering.

A. Frequency Analysis at Zero DC Voltage

The transcendental Eqns. (17), (18), and (19) corresponding to the uniform beam, beams with linear tapers and beams with quartic tapers, respectively, can be solved numerically to obtain resonance frequencies for different α . Although, these equations can be used to obtain frequencies for higher modes as well, here, we compute the frequency of only first flexural mode. Frequencies for all the three cases for various α are tabulated in Tables I and II, where, $\alpha = 0$ corresponds to uniform beam. Results for uniform and linearly converging beams are also compared with that of Mabie *et al*¹⁴ in which linear frequency is obtained using numerical integration without finding the mode shape. As previously mentioned in section II B, transformation of linearly tapered beam into equivalent uniform beam is done with some approximation. The effect of this approximation can be observed from Table I. By comparing the computed results with available results, we get percentage errors of 1.5% and 12.5% corresponding to taper parameter, α , -0.4 and -0.6, respectively. Additionally, we have found that for $\alpha = -0.5$, percentage error in computing pull-in voltage from the proposed method is less than 1% or 2% when compared with FEM or semianalytical solution as mentioned by Joglekar and Pawaskar⁴⁰ in Table IV. Therefore, the approximation considered in non-uniform beam with linear taper in width gives negligible error when $|\alpha| \leq 0.4$, the percentage error for $0.5 \leq |\alpha| \leq 0.6$ can be assumed to be less than 12.5%. Thus, the approach adopted in this paper is validated and can be extended to compute frequencies of non-uniform beams with different tapering. Figure 2 shows variation of linear frequency with α for both converging and diverging beams with linear and quartic taper in width. We observe that frequency for diverging beams decreases with an increase in α , while that of a converging beam increases. For converging beam with quartic taper in width, the frequency is about 2.5 times greater than that of a uniform beam. The corresponding mode shape can be obtained for different beams for given values of α as discussed in section II B. As a result, application of non-uniform cantilever beam (in particular beams with quartic variation in width) can prove to be an excellent means in improving the performance of resonant sensors and actuators which




FIG. 2. Effect of taper parameter (α) on the linear frequency for various cases of tapering

operate at resonance frequency. In subsequent subsections, we discuss the pull-in voltage and resonance frequency of various non-uniform beams by including the non-linear curvature effect.

TABLE I. The non dimensional fundamental frequency of converging (negative α) and diverging (positive α) beam with linear taper in width.

α	Present	Mabie <i>et al.</i> ¹⁴	α	Present
0.0	3.516	3.516	0.0	3.516
-0.1	3.628	–	0.1	3.413
-0.2	3.747	3.717	0.2	3.321
-0.3	3.865	–	0.3	3.237
-0.4	3.954	3.892	0.4	3.162
-0.5	3.940	–	0.5	3.096
-0.6	3.540	4.048	0.6	3.036

TABLE II. The non dimensional frequency of converging (negative α) and diverging (positive α) beam with quartic tapering in width

α	Frequency	α	Frequency
0.0	3.516	0.0	3.516
-0.1	3.994	0.1	3.124
-0.2	4.588	0.2	2.799
-0.3	5.336	0.3	2.526
-0.4	6.298	0.4	2.294
-0.5	7.558	0.5	2.096
-0.6	9.235	0.6	1.924

B. Pull-in Analysis

To obtain pull-in voltage for different tapered beams by following the approach as explained in section III A,

TABLE III. Comparison of the pull-in voltage of uniform cantilever beam with existing literature

Sample Number	$V_{\text{Pull-in}}$ (V) (Present model)	$V_{\text{Pull-in}}$ (V) (Reference)	Reported By (method)
1	65.19	68.5	Hu <i>et al.</i> ⁴⁴ (experimental)
2	65.19	66.78	Chaterjee & Pohit ²⁹ (numerical)
3	37.15	37.84	Chowdhury <i>et al.</i> ²⁶ (numerical)
4	2.23	2.27	Chowdhury <i>et al.</i> ²⁶ (numerical)
5	2.23	2.29	Joglekar & Pawaskar ⁴⁰ (analytical)

TABLE IV. Comparison of pull-in voltage of converging beam with linearly tapered width with existing literature

Sample Number	α	Pull-in voltage by present model (V)	Pull-in voltage by Joglekar and Pawaskar ⁴⁰ (V)
1	-0.25	5.45	5.59 (analytical)
2	-0.25	5.45	5.61 (FEA)
3	-0.5	24.74	24.26 (analytical)
4	-0.5	24.74	24.68 (FEA)

we first validate our model for pull-in voltage of a uniform beam with five different results from the literature as mentioned in Table III. Taking dimensions and material properties for each case as: (1) $L = 20000 \mu\text{m}$, $b = 5000 \mu\text{m}$, $h = 57 \mu\text{m}$, $d_0 = 92 \mu\text{m}$, $E' = 155.8 \text{ GPa}$, $v = 0.06$; (2) $L = 20000 \mu\text{m}$, $b = 5000 \mu\text{m}$, $h = 57 \mu\text{m}$, $d_0 = 92 \mu\text{m}$, $E' = 155.8 \text{ GPa}$, $v = 0.06$; (3) $L = 100 \mu\text{m}$, $b = 50 \mu\text{m}$, $h = 3 \mu\text{m}$, $d_0 = 1 \mu\text{m}$, $E' = 169 \text{ GPa}$, $v = 0.06$; (4) and (5) $L = 300 \mu\text{m}$, $b = 50 \mu\text{m}$, $h = 1 \mu\text{m}$, $d_0 = 2.5 \mu\text{m}$, $E' = 77 \text{ GPa}$, $v = 0.33$, computed results from the developed model are found to be in good agreement with available results. To compare the accuracy of non-uniform beam, when α is non-zero, we take few cases of converging beam with linear variation in width and compare the results with that of Joglekar and Pawaskar⁴⁰ in Table IV. The dimensions and material properties for case (1) and (2) are taken as $L = 200 \mu\text{m}$, $b = 40 \mu\text{m}$, $h = 1 \mu\text{m}$, $d_0 = 2 \mu\text{m}$, $E' = 169 \text{ GPa}$, $v = 0.06$, and that of (3) and (4) are taken as $L = 100 \mu\text{m}$, $b = 15 \mu\text{m}$, $h = 1 \mu\text{m}$, $d_0 = 2 \mu\text{m}$, $E' = 169 \text{ GPa}$, $v = 0.06$. On comparing the pull-in voltage of linearly tapered beam for $\alpha = -0.25$ and -0.5 obtained from the present method with the results from Joglekar and Pawaskar⁴⁰ in Table IV, we get percentage error of about 2%. Although nonlinear curvature effect is neglected in their models, it may be insignificant for the given geometry. Now, we extend the analysis to different types of tapered beams. Figure 3(a) shows pull-in voltage with different taper parameters (α) for beams with linear and quartic variation in width. The dimensions and material properties




FIG. 3. (a) Effect of taper parameter (α) on pull-in voltage V_p^f including fringing effects for various cases of tapering; (b) Variation of percentage error in computing pull-in voltage with fringing effect, V_p^f , and without fringing effect, V_p^{wf} , with taper parameter.

for each case are taken as $L = 200 \mu\text{m}$, $b = 40 \mu\text{m}$, $h = 1 \mu\text{m}$, $d_0 = 2 \mu\text{m}$, $E' = 168.39 \text{ GPa}$, $\nu = 0.06$. Figure 3(b) shows comparison of percentage difference in computing the pull-in voltage with and without fringing field effects of different non-uniform beams at different taper parameters. For a quartic tapered beam with taper parameter of $\alpha = -0.6$, we get a maximum percentage difference of about 7%. From our analysis, we find that for a converging beam, the pull-in voltage increases with an increase in α , while for diverging beam, it decreases. This trend was expected because of the changes in stiffness of converging and diverging beam with α . Similar changes were also observed in case of linear frequency in previous section. The linear frequency for diverging beam decreases with an increase in α which implies that stiffness effect (or spring force) decreases. As a result, at a lower voltage, electrostatic forces balance the spring force, and then the pull-in occurs. While in case of converging beam, frequency (or stiffness) is more, and as a result a higher voltage is needed for electrostatic forces to overcome the spring force offered by cantilever beam. Consequently, we see that pull-in voltage increases by more than 100% in case of converging beam with quartic tapering as compared to uniform beam. Thus, employing a cantilever beam with quartic variation in width gives us a larger voltage threshold which is about 2 times as that of a widely used uniform beam for the operation of MEMS devices.

C. Frequency Analysis at finite DC

To study vibration of different types of cantilever beams under the application of DC voltage, we solve static deflection Eqn.(23) at different V to get static deflection A . Using obtained value of A , we find frequency from Eqn.(28) for different values of DC voltage. Figure 4 shows variation of the frequency with applied DC for various types of beams. Frequencies are normalized with their corresponding frequencies at zero DC voltage. From figure 4, we see that increase of DC voltage causes the system to soften and frequency decreases with an increase




FIG. 4. Variation of linear, non-dimensional frequency with applied DC voltage for various types of beams. ω_0 is the frequency at zero DC

in voltage. We know that geometrical non-linearity has stiffening effect while inertial nonlinearity and linear electrostatic forces have softening effect. However, overall effect on the dynamics depends on relative strength of each nonlinearity. In our analysis, we have neglected higher order terms of dynamic deflection in order to obtain linear frequency at finite DC. With an increase of applied DC voltage, linear frequency is found to decrease, thus, the system undergoes softening effect due to linear electrostatic forces. This trend is obtained as the initial gap to beam length ratio (γ) is less than 0.3 where the stiffening effect of geometrical nonlinearity is minimal. For $\gamma > 0.3$ and higher DC, the combined effect of geometrical nonlinearity and nonlinear electrostatic force with higher order terms becomes inevitable³¹. While this study considers geometrical nonlinearity in analysis, the higher order nonlinear terms of electrostatic forces are neglected.

V. CONCLUSIONS

In this paper, we have developed theoretical model for computing the frequency as well as pull-in voltage of non-uniform cantilever beam with nonlinear curvature effects. The non-uniformity considered in this paper is for the cantilever beams with linear and quartic tapering in width. To develop this model, we first obtained the exact mode shape from linear equation for beams with different non-uniformities. Subsequently, we apply the Galerkin method based on single mode shape to find the formulation for pull-in voltage and frequency from corresponding static and dynamic equations respectively. From our analysis, we have observed that linear frequency can be increased by more than 2.5 times, whereas, pull-in voltage can also be increased by 2 times simply by varying the order of tapering in the quartic tapered beam. Such findings can be utilized not just to increase the sensitivity of cantilever based devices, but it also increases the

operating range of bias voltage.

ACKNOWLEDGMENTS

We wish to acknowledge late Dr. APJ Abdul Kalam for motivating us to do good science.

- ¹K. L. Ekinci, X. M. H. Huang and M. L. Roukes, *Applied Physics Letters*, 84, 4469-4471 (2004).
- ²A. K. Pandey, O. Gottlieb, O. Shtempluck, and E. Buks, *Applied Physics Letter*, 96, 203105 (2010).
- ³A. K. Pandey and R. Pratap, *Journal of Micromechanics and Microengineering*, 17(12), 2475 (2007).
- ⁴S. D. Vishwakarma, A. K. Pandey, J. M. Parpia, D. R. Southworth, H. G. Craighead, and R. Pratap, *Journal of Microelectromechanical Systems*, 23(2), 334-336 (2014).
- ⁵A. K. Pandey, *Journal of Micromechanics and Microengineering*, 23, 085015, (2013).
- ⁶P.N. Kambali, G. Swain, A. K. Pandey, E. Buks, O. Gottlieb, *Applied Physics Letter*, 104, 063104 (2015).
- ⁷A. K. Pandey, K.P. Venkatesh and R. Pratap, *Sadhana*, 34(4), 651-662 (2009).
- ⁸I. Kozinsky, H. W. Ch. Postma, I. Bargatin and M. L. Roukes, *Applied Physics Letter*, 88, 253101 (2006).
- ⁹P. N. Kambali and A. K. Pandey, *Journal of Computational and Nonlinear Dynamics*, 10(5), 051010 (2015)
- ¹⁰H. C. Nathanson, W. E. Newell, R. Wickstrom and J. R. Davis Jr, *IEEE Transactions on Electron Devices*, 14(3), 117-133 (1967)
- ¹¹S. Pamidighantam, R. Puers, K. Baert and H. A. Tilmans, *Journal of Micromechanics and Microengineering*, 12(4), 458 (2002)
- ¹²P. M. Osterberg and S. D. Senturia, *Journal of Microelectromechanical Systems*, 6(2), 107-118 (1997)
- ¹³H. A. Tilmans and R. Legtenberg, *Sensors and Actuators A: Physical*, 45(1), 67-84 (1994)
- ¹⁴Y. Fang and P. Li, *Journal of micromechanics and microengineering*, 23(4), 045010 (2013)
- ¹⁵A. H. Nayfeh, M. I. Younis and E. M. Abdel-Rahman, *Nonlinear dynamics*, 41(1-3), 211-236 (2005)
- ¹⁶A. H. Nayfeh, M. I. Younis and E. M. Abdel-Rahman, *Nonlinear dynamics*, 48(1-2), 153-163 (2007)
- ¹⁷R. D. Blevins and R. Plunkett, *Journal of Applied Mechanics*, 47, 461 (1980)
- ¹⁸H. H. Mabie and C. B. Rogers, *The Journal of the Acoustical Society of America*, 55(5), 986-991 (1974)
- ¹⁹J. H.Lau, *Journal of applied mechanics*, 51(1), 179-181 (1984)
- ²⁰H. H. Mabie and C. B. Rogers, *The Journal of the Acoustical Society of America*, 36(3), 463-469 (1964)
- ²¹F. W. Williams and J. R. Banerjee, *Journal of Sound and Vibration*, 99(1), 121-138 (1985)
- ²²N. M. Auciello and G. Nole, *Journal of Sound and Vibration*, 214(1), 105-119 (1998)
- ²³H.C. Wang, *Journal of Applied Mechanics*, 34(3), 702-708 (1967)
- ²⁴C. Y. Wang, *Archive of Applied Mechanics*, 83(1), 171-176 (2013)
- ²⁵S. Abrate, *Journal of sound and vibration*, 185(4), 703-716 (1995)
- ²⁶S. Chowdhury, M. Ahmadi and W. C. Miller, *Journal of Micromechanics and Microengineering*, 15(4), 756 (2005)
- ²⁷N. P. Van Der Meijs and J. T. Fokkema, *Integration, the VLSI journal*, 2(2), 85-119 (1984)
- ²⁸K. Ramakrishnan and H. Srinivasan, *Journal of Electrical Engineering*,63(4), 242-248 (2012)
- ²⁹S. Chatterjee and G. Pohit, *Journal of sound and vibration*, 322(4), 969-986 (2009)
- ³⁰G. Li and N. R. Aluru, *Sensors and Actuators A: Physical*, 91(3), 278-291 (2001)
- ³¹M. Rasekh and S. E. Khadem, *International Journal of Mechanical Sciences*, 53(2), 108-115 (2011)
- ³²M. Rahaeifard, M. H. Kahrobaiyan, M. Asghari and M. T. Ahmadian, *Sensors and Actuators A: Physical*, 171(2), 370-374 (2011)
- ³³M. Baghani, *International Journal of Engineering Science*, 54, 99-105 (2012)
- ³⁴J. Cheng, J. Zhe and X. Wu, *Journal of Micromechanics and Microengineering*, 14(1), 57 (2004)
- ³⁵E. Lemaire, V. Rochus, J. C. Golinval, P. Duysinx, *Computer Methods in Applied Mechanics and Engineering*, 197(45), 4040-4050 (2008)
- ³⁶M. Rauli, K. Maute, *Structural and Multidisciplinary Optimization*, 30(5), 342-359 (2005)
- ³⁷M. M. Abdalla, C. K. Reddy, W. F. Faris and Z. Grdal, *Computers and structures*, 83(15), 1320-1329 (2005)
- ³⁸F. Najjar, S. Choura, E. M. Abdel-Rahman, S. El-Borgi and A. Nayfeh, *Journal of micromechanics and microengineering*, 16(11), 2449 (2006)
- ³⁹F. Najjar, S. Choura, S. El-Borgi, E. M. Abdel-Rahman and A. H. Nayfeh, *Journal of Micromechanics and Microengineering*, 15(3), 419 (2005)
- ⁴⁰M. M. Joglekar and D. N. Pawaskar, *Microsystem technologies*, 17(1), 35-45 (2011)
- ⁴¹H. Shang-Rou, S. W. Shaw, and C. Pierre, *Int. J. Solids Struct.* **31**(14), 1981-2014 (1994)
- ⁴²D. H. Hodges, *AIAA J.* **22**(12), 1825-1827 (1984)
- ⁴³L. Meirovitch, *Elements of vibration analysis*. Vol. 2. New York: McGraw-Hill, (1986).
- ⁴⁴Y. C. Hu, C. M. Chang, and S. C. Huang, *Sensors and Actuators A: Physical*, 112(1), 155-161 (2004)